

大葉大學九十二學年度碩士班甄試試題 (共二頁第一頁)					
所別	組(群)別	考試科目 (中文名稱)	考試日期	節次	備註
事業經營 研究所	甲	統計學	12月9日	第1節 9:00-10:30	可使用不可程式 計算機 p>-)

(共五題，每題二十分)

1. determine the 30th percentile of the following eight numbers:

14, 12, 19, 23, 5, 13, 28, 17

2. A tollbooth operator has observed that the cars arrive randomly and independently at an average rate of 360 cars per hours. Use the exponential distribution to find the probability that the next car will not arrive within half a minute.

3. A Company conducts educational training for employees. After the training a test is given to employees to determine their learning achievement. The result shows that 1/10 of the employees' scores are below 60, and 1/4 of the employees' scores are above 80. Assuming the achievement scores are normally distributed, find the mean and standard deviation of employees' achievement scores.

4. We want to test whether the average weight of 60-ounce bags of cat food is equal to or smaller than 60 ounce at significance level $\alpha = 0.05$. The null and alternative hypotheses can be stated as $H_0: \mu = 60$ $H_1: \mu < 60$. Suppose we know that sample size $n = 100$, Sample mean $\bar{x} = 59$, and standard deviation $S_x = 5$. Find the power of the test if the true population mean $\mu = 62$.


5. Each morning, coffee is prepared for the entire staff by one of three employees, depending on who first arrives at work. Karen arrives first 20% of time; Gita and Michael are each the first to arrive on half of the remaining mornings. The probability that the coffee is bitter when it is prepared by Karen is 0.1, while the corresponding probabilities when it is prepared by Gita and Michael are 0.2 and 0.3, respectively. If you arrive one morning and find the coffee bitter, what is the probability that it was prepared by Karen? What is the probability that the coffee will not be bitter on a given morning?

大葉大學 九十一學年度碩士班甄試 試題 (共二頁第二頁)

所 別	組(群)別	考 試 科 目 (中 文 名 稱)	考試日期	節 次	備 註
事業經營 研究所	甲	統計學	12月9日	第 1 節	可使用不可程式 計算機 P2-17

TABLE A.4

Areas of the standard normal distribution. The entries in this table are the probabilities that a standard normal random variable is between 0 and z (the shaded area).



z	SECOND DECIMAL PLACE IN z									
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.4993
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.4995
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.4997
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4998
3.5	0.4998									
4.0	0.49997									
4.5	0.499997									
5.0	0.4999997									

Reprinted with permission from Standard Mathematical Tables, 15th ed., © CRC Press, Inc., Boca Raton, FL.