

大葉大學 九十二 學年度 研究所碩士班 招生考試試題紙

系 所 別	組 別	考 試 科 目 (中文名稱)	考 試 日 期	節 次	備 註
事業經營研究所	乙	統計學	4月13日	第 3 節 (3:30~5:00)	可使用不可程式 計算機

分為中英文考題,共 8 題

共 6 頁 第 1 頁

一. 中文考題 (50%):

1. (20 分)設計研究所畢業生的起薪為一常態分配, 若假設

(1).其平均數為每月新台幣 36,000 元, 標準差為每月 2,000 元,試回答下列問題:

- (a).在全體畢業生的起薪分配最高的 5% 之內, 問其最低的起薪額應為多少?
- (b).在全體畢業生的起薪分配中間的 34% 之內, 問其最高的起薪額應為多少?
- (c).如有 15 位畢業生的起薪都比 34,170 元為高,問畢業生的總人數為多少?

(2).起薪的平均數及標準差均為未知數,但已知起薪在 32,435 元以下的人佔 5%, 在 43,250 元以上的 2.5%, 試求:

- (a).此分配的平均數
- (b).此分配的標準差

2. (10 分)在新產品上市的調查中, 欲察知顧客對產品喜好與否, 由 5,000 人進行隨機抽樣. 在 95% 之信賴範圍下, 欲使誤差小於 10%, 不論是否為常態分配下, 試問各自至少要抽查多少人?

3. (20 分) 試定義 Z , t , χ^2 , F 四種分配, 並各自針對其使用的情況作說明

二. 英文考題(50%):

1. (10 分) The personnel director at PCSoft, a computer software development firm, is interested in determining whether an employee's educational level has an effect on his or her job knowledge. An exam was given to a sample of 120 employees, and the director would like to know whether there is a difference in exam performance among three groups: (1) those with a high school diploma only, (2) those with a bachelor's degree only, and (3) those with a master degree. Rather than using the actual scores, she rated each person's exam performance as high, average, or low. The results of the study are:

	High	Average	Low
Master's degree	4	20	11
Bachelor degree	12	18	15
High School Dipoma	9	22	9

Does job knowledge as measured by the exam appear to be related to level of an employee's education, at this particular firm? Use $\alpha = 0.05$.

2. (10 分) After a television debate between two political candidates, a telephone line is open to viewers wishing to express their opinions on whether the Democratic (D) or the Republican (R) candidate won the debate. The following sequence represents 19 opinions of viewers in the order in which they telephoned. Using a runs test and a significance level 5%, does the sequence indicate a nonrandom order?

RRDDRDRRRRDDRDRDDD

大葉大學 九十二 學年度 研究所碩士班 招生考試試題紙

系 所 別	組 別	考 試 科 目 (中 文 名 稱)	考 試 日 期	節 次	備 註
事業經營研究所	乙	統計學	4月13日	第 3 節	可使用不可程式 計算機

共 6 頁 第 2 頁

3. (10 分) Let X be the distance an employee lives from his or her job. Let Y be the average time that it takes the employee to drive to work. Data from 30 employees gave the following sample statistics.

$$SCP_{xy}=8.4 \quad SS_x=9.4 \quad SS_y=12.2$$

- (1). Find the estimate of the error variance.
- (2). Find the interval in which approximately 68% of the error values should fall.

4. (10 分) Classify each of the following variables as being either qualitative or quantitative and as having nominal, ordinal, interval, or ratio level of measurements:

- (1). The time that a Chief Executive office spends at work
- (2). The ordered preference that inventors have for different investment funds for retirement purposes
- (3). The state where an individual was born
- (4). The average temperature for the summer months in Chicago
- (5). The ranking of computer stores with respect to their competitors, based on sales

5. (10 分) China's one-child policy, which limits most families to one baby to restrict population growth, seems to be making parents and grandparents in China willing to spend a larger portion of their disposable income on their children. Walt Disney Co. has been selling the Disney Babies line of T-shirts since 1993 in China. Suppose that a market analyst believes that these T-shirt sells for \$ 7.00 (dollar equivalent to the Chinese yuan) more than a local children's T-shirt. Suppose that 25 retail stores were randomly sampled in Shanghai and at each store, the price of a Disney T-shirt and the price of a local children's T-shirt were recorded. If the mean difference was \$ 9.50 with a standard deviation of the differences, S_d , equal to \$ 2.80, is there sufficient evidence to support the marketing analyst's belief? Use a significance level of 0.01.

大葉大學 九十二 學年度 研究所碩士班 招生考試試題紙

系 所 別	組 別	考 試 科 目 (中文名稱)	考 試 日 期	節 次	備 註
事業經營研究所	乙	統計學	4月13日	第 3 節	可使用不可程式 計算機


共 6 頁 第 3 頁

A-10

Appendix A

TABLE A.4

Areas of the standard normal distribution. The entries in this table are the probabilities that a standard normal random variable is between 0 and z (the shaded area).



z	SECOND DECIMAL PLACE IN z									
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.4993
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.4995
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.4997
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4998
3.5	0.4998									
4.0	0.49997									
4.5	0.499997									
5.0	0.4999997									

Reprinted with permission from Standard Mathematical Tables, 15th ed., © CRC Press, Inc., Boca Raton, FL.

大葉大學 九十二 學年度 研究所碩士班 招生考試試題紙


系 所 別	組 別	考 試 科 目 (中文名稱)	考 試 日 期	節 次	備 註
事業經營研究所	乙	統計學	4月13日	第 3 節	可使用不可程式 計算機

共 6 頁 第 4 頁

Tables

TABLE A.5

Critical values of t .



DEGREES OF FREEDOM	$t_{.100}$	$t_{.050}$	$t_{.025}$	$t_{.010}$	$t_{.005}$
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.541	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.583	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.808
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
30	1.310	1.697	2.042	2.457	2.750
35	1.306	1.690	2.030	2.438	2.724
40	1.303	1.684	2.021	2.423	2.704
50	1.299	1.676	2.009	2.403	2.678
60	1.296	1.671	2.000	2.390	2.660
120	1.289	1.658	1.980	2.358	2.617
∞	1.282	1.645	1.960	2.326	2.576

From M. Merrington, "Table of Percentage Points of the t -Distribution," *Biometrika*, 1941, 32, 300.
Reproduced by permission of the *Biometrika* trustees.

大葉大學 九十二 學年度 研究所碩士班 招生考試試題紙

系 所 別	組 別	考 試 科 目 (中文名稱)	考 試 日 期	節 次	備 註
事業經營研究所	乙	統計學	4月13日	第 3 節	可使用不可程式 計算機

共 6 頁 第 5 頁

Tables

TABLE A.13 Random numbers.

12651	61646	11769	75109	86996	97669	25757	32535	07122	76763
81769	74436	02630	72310	45049	18029	07469	42341	98173	79260
36737	98863	77240	76251	00654	64688	09343	70278	67331	98729
82861	54371	76610	94934	72748	44124	05610	53750	95938	01485
21325	15732	24127	37431	09723	63529	73977	95218	96074	42138
74146	47887	62463	23045	41490	07954	22597	60012	98866	90959
90759	64410	54179	66075	61051	75385	51378	08360	95946	95547
55683	98078	02238	91540	21219	17720	87817	41705	95785	12563
79686	17969	76061	83748	55920	83612	41540	86492	06447	60568
70333	00201	86201	69716	78185	62154	77930	67663	29529	75116
14042	53536	07779	04157	41172	36473	42123	43929	50533	33437
59911	08256	06596	48416	69770	68797	56080	14223	59199	30162
62368	62623	62742	14891	39247	52242	98832	69533	91174	57979
57529	97751	54976	48957	74599	08759	78494	52785	68526	64618
15469	90574	78033	66885	13936	42117	71831	22961	94225	31816
18625	23674	53850	32827	81647	80820	00420	63555	74489	80141
74626	68394	88562	70745	23701	45630	65891	58220	35442	60414
11119	16519	27384	90199	79210	76965	99546	30323	31664	22845
41101	17336	48951	53674	17880	45260	08575	49321	36191	17095
32123	91576	84221	78902	82010	30847	62329	63898	23268	74283
26091	68409	69704	82267	14751	13151	93115	01437	56945	89661
67680	79790	48462	59278	44185	29616	76531	19589	83139	28454
15184	19260	14073	07026	25264	08388	27182	22557	61501	67481
58010	45039	57181	10238	36874	28546	37444	80824	63981	39942
56425	53996	86245	32623	78858	08143	60377	42925	42815	11159
82630	84066	13592	60642	17904	99718	63432	88642	37858	25431
14927	40909	23900	48761	44860	92467	31742	87142	03607	32059
23740	22505	07489	85986	74420	21744	97711	36648	35620	97949
32990	97446	03711	63824	07953	85965	87089	11687	92414	67257
05310	24058	91946	78437	34365	82469	12430	84754	19354	72745
21839	39937	27534	88913	49055	19218	47712	67677	51889	70928
08833	42549	93981	94051	28382	83725	72643	64233	97252	17133
58336	11139	47479	00931	91560	95372	97642	33856	54825	55680
62032	91144	75478	47431	52726	30289	42411	91886	51818	78292
45171	30557	53116	04118	58301	24375	65609	85810	18620	49198
91611	62656	60128	35609	63698	78356	50682	22505	01692	36291
55472	63819	86314	49174	93582	73604	78614	78849	23096	72825
18573	09729	74091	53994	10970	86557	65661	41854	26037	53296
60866	02955	90288	82136	83644	94455	06560	78029	98768	71296
45043	55608	82767	60890	74646	79485	13619	98868	40857	19415
17831	09737	79473	75945	28394	79334	70577	38048	03607	06932
40137	03981	07585	18128	11178	32601	27994	05641	22600	86064
77776	31343	14576	97706	16039	47517	43300	59080	80392	63189
69605	44104	40103	95635	05635	81673	68657	09559	23510	95875
19916	52934	26499	09821	97331	80993	61299	36979	73599	35055
02606	58552	07678	56619	65325	30705	99582	53390	46357	13244
65183	73160	87131	35530	47946	09854	18080	02321	05809	04893
10740	98914	44916	11322	89717	88189	30143	52687	19420	60061
98642	89822	71691	51573	83666	61642	46683	33761	47542	23551
60139	25601	93663	25547	02654	94829	48672	28736	84994	13071

Reprinted with permission from *A Million Random Digits with 100,000 Normal Deviates* by the Rand Corporation (New York: The Free Press, 1955). Copyright 1955 and 1983 by the Rand Corp.

大葉大學 九十二 學年度 研究所碩士班 招生考試試題紙

系 所 別	組 別	考 試 科 目 (中文名稱)	考 試 日 期	節 次	備 註
事業經營研究所	乙	統計學	4月13日	第 3 節	可使用不可程式 計算機

共 6 頁 第 6 頁

TABLE A.6

Critical values of χ^2 (continued).

DEGREES OF FREEDOM	$\chi^2_{.100}$	$\chi^2_{.050}$	$\chi^2_{.025}$	$\chi^2_{.010}$	$\chi^2_{.005}$
1	2.70554	3.84146	5.02389	6.63490	7.87944
2	4.60517	5.99147	7.37776	9.21034	10.5966
3	6.25139	7.81473	9.34840	11.3449	12.8381
4	7.77944	9.48773	11.1433	13.2767	14.8602
5	9.23635	11.0705	12.8325	15.0863	16.7496
6	10.6446	12.5916	14.4494	16.8119	18.5476
7	12.0170	14.0671	16.0128	18.4753	20.2777
8	13.3616	15.5073	17.5346	20.0902	21.9550
9	14.6837	16.9190	19.0228	21.6660	23.5893
10	15.9871	18.3070	20.4831	23.2093	25.1882
11	17.2750	19.6751	21.9200	24.7250	26.7569
12	18.5494	21.0261	23.3367	26.2170	28.2995
13	19.8119	22.3621	24.7356	27.6883	29.8194
14	21.0642	23.6848	26.1190	29.1413	31.3193
15	22.3072	24.9958	27.4884	30.5779	32.8013
16	23.5418	26.2962	28.8454	31.9999	34.2672
17	24.7690	27.5871	30.1910	33.4087	35.7185
18	25.9894	28.8693	31.5264	34.8053	37.1564
19	27.2036	30.1435	32.8523	36.1908	38.5822
20	28.4120	31.4104	34.1696	37.5662	39.9968
21	29.6151	32.6705	35.4789	38.9321	41.4010
22	30.8133	33.9244	36.7807	40.2894	42.7956
23	32.0069	35.1725	38.0757	41.6384	44.1813
24	33.1963	36.4151	39.3641	42.9798	45.5585
25	34.3816	37.6525	40.6465	44.3141	46.9278
26	35.5631	38.8852	41.9232	45.6417	48.2899
27	36.7412	40.1133	43.1944	46.9630	49.6449
28	37.9159	41.3372	44.4607	48.2782	50.9933
29	39.0875	42.5569	45.7222	49.5879	52.3356
30	40.2560	43.7729	46.9792	50.8922	53.6720
40	51.8050	55.7585	59.3417	63.6907	66.7659
50	63.1671	67.5048	71.4202	76.1539	79.4900
60	74.3970	79.0819	83.2976	88.3794	91.9517
70	85.5271	90.5312	95.0231	100.425	104.215
80	96.5782	101.879	106.629	112.329	116.321
90	107.565	113.145	118.136	124.116	128.229
100	118.498	124.342	129.561	135.807	140.169